Previous date:	03.01.2017		Prin	t date:	03	.01.2017
Product:	Fertilizer solid		C	ode:		1106
1. Identification of the substant	nce/preparation and of th	e company/unterta	aking			
Product information:	Commercial poduct nar	ne: Powder Feeding	Short Flowering (16-6-26)			
				CAS-Nr	EINECS/EC	Index
	Identification:	Mixture				
	Use identifiées:	Fertilizer	PC 12: Fertilisers			
Company / Supplier:	·····PF Trading BV, Keienbe	ergweg 49, 1101 EX	(, Amsterdam. Tel.: +31(0) 2	20 7163834		
Information:	Tel.: +31(0) 20 7163834	4	E-mail: shop@powderfeedi	ng.ch		
Emergency telephone:	Centre Suisse d' Inform	ation Toxicologique	Tel.: ++41 44 251 66 66 ou +	+41 145		
Trade / undertaking:	PF Trading BV, Keienb	ergweg 49, 1101 E>	K, Amsterdam. Tel.: +31(0) 2	20 7163834		
Information:	Tel.: +31(0) 20 7163834	4	E-mail: shop@powderfeedir	ng.ch		
Emergency telephone:	Centre Suisse d' Inform	ation Toxicologique	Tel.: ++41 44 251 66 66 ou +	-+41 145		

2. Hazards identifikation

Classification:	Classification (REGULATION (EC) No 1272/2008) Dxidising solids, Category 3; H272	
	Classification (67/548/EEC or 1999/45/EC) This substance or mixture is not classified as dangerous according to Directive 67/548/EEC or 1999/45/E	C
Label elements: GHS-Pictogrammes: GHS-Symboles: Signal word: Component determinate hazard: Hazard statements:	abelling (REGULATION (EC) No 1272/2008) This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures. This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures. This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures. This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures. This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures. This product is not classified as dangerous, resp. transitional period until 2.1.2020 for mixtures.	
Precautionary statements:	7221 Take any precaution to avoid mixing with combustibles	
Other hazards:	Contact with combustible material may cause fire After prolonged contact, slight skin irritation possible. May cause long-term adverse effects in the aquatic environment	

Heating can release hazardous gases: nitrous gas (NOx), ammonia

Previous date:	03.01.2017	Print date:	03.01.2017
Product:	fertilizer solid	Code:	1106

3. Composition/Information on Ingredients

Mixture:

Mixture of inorganic compounds (sulfate-, phosphate-, nitratesalts from ammonium, potassium, magnesium) and trace elements

	CAS-Nr	FINECS/EC	Index	%
Ammonium nitrate	6484-52-2	229-347-8		0 - 20
Classification *) GHS 1272/2008	8/EC:	Oxidising solids, C	Category 3; H272	
Classification *) 67/548/EEC or	1999/45/EC:	O, R8, R9		
	CAS-Nr.	EINECS/EC	Index	%
Potassium nitrate	7757-79-1	231-818-8		0 - 50
Classification *) GHS 1272/2008	8/EC:	Oxidising solids, C	Category 3; H272	
Classification *) 67/548/EEC or	1999/45/EC:	O, R8		
	CAS-Nr.	EINECS/EC	Index	%
Boric acid	10043-35-3	233-139-2	005-007-00-2	0 - 0.2
Classification *) GHS 1272/2008/EC:		Repr. 1B, H360FE)	
Classification *) 67/548/EEC or	1999/45/EC:	T; Repr.Cat.2; R6	0-61	
	CAS-Nr.	EINECS/EC	Index	%
EDTA-Cu- Disodiumcomplex	14025-15-1	237-864-5		0 - 0.3
Classification *) GHS 1272/2008	8/EC:	Acute Tox. 4, H30	2	
Classification *) 67/548/EEC or	1999/45/EC:	Xn; R22		
	Classification *) GHS 1272/2003 Classification *) GHS 1272/2003 Classification *) 67/548/EEC or Potassium nitrate Classification *) GHS 1272/2003 Classification *) 67/548/EEC or EDTA-Cu- Disodiumcomplex Classification *) GHS 1272/2003	Classification *) GHS 1272/2008/EC: Classification *) 67/548/EEC or 1999/45/EC: CAS-Nr. Potassium nitrate 7757-79-1 Classification *) GHS 1272/2008/EC: Classification *) 67/548/EEC or 1999/45/EC: CAS-Nr. Boric acid 10043-35-3 Classification *) GHS 1272/2008/EC: Classification *) 67/548/EEC or 1999/45/EC: CAS-Nr. EDTA-Cu- 14025-15-1	Ammonium nitrate 6484-52-2 229-347-8 Classification *) GHS 1272/2008/EC: Oxidising solids, C Classification *) 67/548/EEC or 1999/45/EC: O, R8, R9 CAS-Nr. EINECS/EC Potassim nitrate 7757-79-1 Classification *) 67/548/EEC or 1999/45/EC: Oxidising solids, C Classification *) GHS 1272/2008/EC: Oxidising solids, C Classification *) 67/548/EEC or 1999/45/EC: Oxidising solids, C Classification *) 67/548/EEC or 1999/45/EC: O, R8 Classification *) GHS 1272/2008/EC: O, R8 Classification *) GHS 1272/2008/EC: Repr. 1B, H360FE Classification *) GHS 1272/2008/EC: Repr. 1B, H360FE Classification *) GHS 1272/2008/EC: T; Repr.Cat.2; R6 CDTA-Cu- 14025-15-1 237-864-5 Disodiumcomplex 14025-15-1 237-864-5 Classification *) GHS 1272/2008/EC: Acute Tox. 4, H30	Ammonium nitrate $6484-52-2$ $229-347-8$ Classification *) GHS 1272/2008/EC:Oxidising solids, Category 3; H272Classification *) 67/548/EEC or 1999/45/EC:O, R8, R9CAS-Nr.EINECS/ECPotassium nitrate7757-79-1231-818-8Classification *) GHS 1272/2008/EC:Oxidising solids, Category 3; H272Classification *) 6HS 1272/2008/EC:Oxidising solids, Category 3; H272Classification *) 67/548/EEC or 1999/45/EC:O, R8Boric acid10043-35-3Classification *) GHS 1272/2008/EC:Repr. 1B, H360FDClassification *) 6HS 1272/2008/EC:T; Repr.Cat.2; R60-61Classification *) 67/548/EEC or 1999/45/EC:T; Repr.Cat.2; R60-61Classification *) 67/548/EEC or 1999/45/EC:T; Repr.Cat.2; R60-61Classification *) 67/548/EEC or 1999/45/EC:T; Repr.Cat.2; R60-61Classification *) 67/548/EEC or 1999/45/EC:237-864-5Classification *) 6HS 1272/2008/EC:Acute Tox. 4, H302

*) Wording of the identification codes for classified materials, see Section 16

4. First aid measures	
General informations	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. In all cases of doubt or if symptoms persist get medical treatment.
After inhalation	After inhalation: Supply fresh air, consult a doctor in case of symptoms. If you feel unwell seek medical advice (show the label where possible or the MSDS)
After skin contact	wash wit water and soap and rine thoroghly. If irritation persists, consult a doctor.
After eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor.
After oral intake	IF SWALLOWED: Rinse out mouth and then deink plenty of water. may cause nausa, vomiting, diarrhoea. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Indication of any immediate medical treatement/attention	After inhalation of decomposition products: Risk of pulmonary edema. Symptoms may be delayed. Risk of Methhämoglobinämie. Symptomatic treatment.

Previous date:	03.01.2017	Print date:	03.01.2017
Product:	fertilizer solid	Code:	1106

5. Fire-fighting measures

5. Fire-fighting measures			
Extinguishing media	No special requiremenent.		
	Less effective extinguishing	g agents: dust, sand, CO2	
Combustion products/gases	Heating can release hazard	dous gases: nitrous gas (NOx), ammonia	
	Not inhale gases during the	ermal decomposition.	
Advice for firefighters	Self-contained breathing apparatus (EN 133). Waer full protective suit.		
Additional information	For more information: Cont	taminated water may not enter in sewers or drains.	
6. Accidental release measures	8		
Personal precautions	-	of dust wear safety goggles and dust mask. es: They are dealing with industrial hygiene and safety measure:	s to be observed.
Environmental precaution	may not enter in sewers or	drains.	
Methods of cleaning-up	Collect mechanically. Disp	oouse of cantaminated material as waste according to item 13.	
7. Handling and storage			
Precaution for safe handling	No special precautions nec Store in original packaging Respect the set-in-edge of	, risk to confusation!	
Conditions for safe storage	Tightly closed. Dry. Store apart from sources if Store apart from sources if	-	
Storage class	Classe of stockage: 11 store combustible materials	s in packaging and mobile containers (TRGS 515)	
Indication	Store in original packaging	, risk to confusation!	
8. Exposure controls/personal	protection		
Control parameters	Dust (OEL): specific substance:	Total Dust Non pertinent (poussière totale)	MAK: 10 mg/m3
Exposure controls	application of fertilizers.	led with the care usual when dealing with chemicals. To be note good industrial hygiene and safety practice. Wash hands bevor	
Eveneouro limit velveo	not rolevent		
Exposure limit values	not relevant		
Recommended monitoring procedures	not relevant		

Previous date:	03.01.2017		Print date:	03.01.2017
Product:	fertilizer solid		Code:	1106
Individual protection measures	Respiratory protection:			
	not relevant			
	Hand protection:			
	•	nands contact: use protective cloves 10	00% Nitril (EN 374 fex Derman	etril 740 from KCI
	GmbH, D-36124 Eicher			
	Eye protection:			
	not relevant			
Environmental exposure controls	The product shuld be had application of fertilizers. No speciality recommer		with chemicals. To be noted, nat	ional rules for the
	No speciality recommen	lu		
9. Physikal and chemical prop	erties			
General information	Forme:	Powder		
	Coulour:	orange		
Important health, safty and	solubility in water:	water-soluble		
environmental information	pH:	4.8 - 5.8		
	Apparent density:	1000 - 1200 g/l		
	Relative density:	not relevant		
	Flammability:	The product itself does not burn.		
	Oxidizing properites:	Can support a fire.		
10. Stability and reactivity				
Reactivity:	Heating can release ha	zardous gases: nitrous gas (NOx), amm	ionia	
	•	e action of alkalis or other alkaline subs		
Stability:	Stabel under conditions	normality (show Pt. 7)		
Possibility of hazardous ractions	:			
	, pt. 5	.		
Conditions to avoid:	elevated temperatures,	high humidity.		
	Bring together not with	concentrated acids or alkalis.		
Hazardous decomposition	Heating can release ha	zardous gases: nitrous gas (NOx), amm	ionia.	
products:				
11. Toxicological information				
Acute oral toxicity:	Acute oral toxicity: LD50	0/oral/rat : > 2000 mg/kg		
Skin irritation:	After longer exposure m	nay cause slight irritation of skin.		
Corrosion / burns:	After longer exposure m	nay cause slight irritation.		
Sensitisation:	Based on the available	data and experience no classification is	given (conventional method)	
Carcinogenicity:	no data available			
Genotoxicity in vitro:	no data available			
Tovigity for reproduktion	na data availabla			

Toxicity for reproduktion no data available

Previous date:	03.01.2017	Print date:	03.01.2017
Product:	fertilizer solid	Code:	1106
12. Ecological information			
-			
Ecotoxicity (for pure chemicals):	Ammonium nitrate Potassium nitrate	LC50 Fish (48 h): 74 mg/l; EC50 crustacea (48 h): 555 mg/l; EC50 algue 83 mg/l LC50 Fish (96 h): 190 mg/l; EC50 Crustacea (48 h): 490 mg/l	
	i olaoolani initiate		
Toxicity for water:	Water hazard class: 1 ((slightly hazadous for water)	
Persistence and degradability:	not applicable		
Bioaccumulative potential:	not applicable		
Mobility in soil:	•	ents or breakdown products may be washed into groundwater.	
PBT and vPvB assessment:	no data available		
Other adverse effects:	May contribute to the e	utrophication of water systems.	
13. Disposal considerations			
Packing:	Packing: Can be remov	ved also with urban waste.	
Product:		se out. Waste material must be disposed of in compliance with the respective n k.com" you will find country- and substance-specific information as well as cont	
	See www.retrologistik.c	com for processes regarding the return of chemicals and containers, or contact	us there if you have
14. Transport Information			
Road transport (ADR/RID):			
Proper shipping name:	Mixture		
Classification:	UN 2071 Class 9: amm		
		lizers: uniform non-segregating mixtures of nitrogen/phosphate or nitrogen/pota nitrogen/phosphate/potash type, with not more than 70 percent ammonium nitra ndd.	
Maritime transport (IMPG)			
Proper shipping name:	Mixture		
Classification:	Not subject to transport	t regulations.	
Air transport (IATA-DGR):			
Proper shipping name:	Mixture		
Classification:	Not subject to transport	t regulations.	
Pictogramme (transport)	-		
	Not classified as dange	erous inthe meaning of transportregulation ADR/SDR	
	-		
15. Regulatory information			

Labelling:

Labelling in line of EEC regulation: This product is not classified as dangerous

Nationals Directives Switzerland

ChemRRV Anhang 2.6 ; ChemV und Störfallverordnung (Pt.7) Water hazardous classe: CEA: PN3 / R-phras: R52 / CIA / WGK (D/CH): 1 (slightly hazardous to water)

Previous date:	03.01.2017	Print date:	03.01.2017
Product:	fertilizer solid	Code:	1106

EC:

Classification et désignation des substances, préparations et produits (TRGS 200) Désignation de déchets lors de l' utilisation (TRGS 201)

Déterminer et évaluer les risques représentés par les substances dangereuses sur le lieu de travail (TRGS 400). Instruction on the hazards and the protective measures using instruction manual (TRGS 555) are required with signature if just more than one minor hazard was detected.

Mesures de protection (TRGS 500)

matériaux combustibles stocker dans l'emballage et conteneurs mobiles (TRGS 515)

16. Others information

Full text of H-phrases under secti	on 3 :
H272	May intensify fire; oxidiser.
H360	May damage fertility or the unborn child.
H302	Harmful if swallowed.

Full text of R-phrases under section 3 :

Xn	Harmful (Xn)
0	Oxidizing (O)
R 8	Contact with combustible material may cause fire
R 9	Explosive when mixed with combustible material
R 60	May impair fertility
R 61	May cause harm to the unborn child
R 22	Harmful if swallowed

Sources:

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work SUVA .CH, Limits in air at work 2009, revised on 01.2009

GESTIS, système d' information des dangers des caisses mutuelles d' assurance accident de l' industrie et du commerce. TRGS (Règles techniques sur les substances dangereus)

TRGS 900, German engineering rules governing limits in air at work, updated May 2010

While the information contained in the MSDS is believed to be reliable, no guarantee is made as to its accuracy or completeness. The conditions of use, handling, storage, and disposal, and the suitability of the product for particular uses are beyond our control. Consequently, all risks involving the use of the product are assumed by the user. We expressly disclaim all warranties of every kind and nature, express or implied, including the warranties of merchantability and fitness for a particular purpose.